## In the claims:

Please amend claims 1, 25 and 28, and cancel claims 7, 8 and 33 as follows:

- 1. (Currently amended) A method for automatically providing enhanced and secure access to a group of users initiated by a non-technically trained user on a computer network without intervention of information systems personnel, the method comprising the steps of:
- 1) receiving a request from a <u>non-technically trained</u> user to establish a group of users, the request including a group identifier <u>which includes a group name</u> and password provided by the user and identifies identifying the group;
- 2) configuring, in response to the request, a network infrastructure to support the group without intervention of information systems personnel;
- 3) allowing other <u>non-technically trained</u> users to join the group <del>according</del> to the group identifier by using the group name and password;
- 4) further configuring the network infrastructure to support the joining users without intervention of Information systems personnel; and
  - 5) dissolving the group based on predetermined rules.
- 2. (Previously presented) The method of claim 1 wherein the group of users is composed of one or more users.
- 3. (Original) The method of claim 1 wherein the network infrastructure includes a physical local area network.
- 4. (Original) The method of claim 1 wherein the step of configuring a network includes the step of establishing a virtual local area network on a physical local area network.
- 5. (Original) The method of claim 1 wherein the step of configuring a network infrastructure includes the step of configuring switches that are IEEE802.1Q compliant.

- 6. (Original) The method of claim 5 wherein the step of configuring switches includes a use of Q-tag.
- 7. (Cancelled)
- 8. (Cancelled)
- 9. (Previously presented) The method of claim 1 wherein the step of further configuring the network infrastructure includes the step of configuring a switch port that a joining user is connected to with a VLAN associated with the group.
- 10. (Original) The method of claim1 wherein the step of dissolving the group includes revoking the group identifier.
- 11. (Previously presented) The method of claim 10 wherein the step of dissolving further includes the step of returning ports of switches supporting a VLAN associated with the dissolved group to a default state and removing all references to the VLAN associated with the dissolved group from the switches.
- 12 24 (Cancelled)
- 25. (Currently amended) A computer readable medium containing computer instructions for executing in a computer of a method for automatically providing enhanced and secure access to a group of users initiated by a non-technically trained user on a computer network without intervention of information systems personnel, the method comprising the steps of:
- 1) receiving a request from a <u>non-technically trained</u> user to establish a group of users, the request including a group identifier <u>which includes a group name</u> and password provided by the user and identifies identifying the group;

- 2) configuring a network infrastructure to support the group without intervention of information systems personnel;
- 3) allowing other <u>non-technically trained</u> users to join the group according to the group identifier by using the group name and password;
- 4) further configuring the network infrastructure to support the joining users without intervention of information systems personnel; and
  - dissolving the group based on predetermined rules.

## 26 - 27 (Cancelled)

- 28. (Currently amended) A server to provide enhanced and secure access to a group of users initiated by a non-technically trained user on a computer network without intervention of information systems personnel, the server comprising:
- 1) a registration module to receive from a <u>non-technically trained</u> user a request to create a group of users, the request including a group identifier <u>which</u> includes a group name and password provided by the user and identifies identifying a group of users, and to receive from other <u>non-technically trained</u> users te-a request to join the group using the <u>group name and password-group identifier</u>;
- 2) a registration driver to register the user and the other users to access the group of users, assign the group of users and maintain registration information and state information of a network infrastructure associated with the group of users according to the group identifier in response to the requests from the user without intervention of information systems personnel;
- 3) a module to assign VLAN tags to the group based on registration status; and
- 4) a packet driver module to insert/remove VLAN tags from packets based on the registration status.
- 29. (Original) The server of claim 28 wherein the VLAN tags are Q-tags of IEEE802.1Q.

- 30. (Original) The server of claim 28 wherein the state information of a network infrastructure is information on the switches that are IEEE802.1Q compliant.
- 31. (Original) The server of claim 28 wherein the module to construct VLAN tags comprises the SNMP module.
- 32. (Original) The server of claim 28 wherein the module further comprises a web based user interface.
- 33. (Cancelled)
- 34. (Previously presented) The server of claim 28 further comprising a switch commander for configuring a network infrastructure to support the group without intervention of information systems personnel in response to the request for creating the group of users.
- 35. (Previously presented) The server of claim 28 wherein the registration module further receives from the user a request for showing information associated with the group of users.
- 36. (Previously presented) The server of claim 28 wherein the registration module further receives from the user a request for deleting the group of users.
- 37 47 (Cancelled)